

110/35/6 -12 ( -110 , -35 , )

( ) 02-01-06/2

( , )

: 110-26 -359/16-165- 1.5 .1

63,254 . .  
0,46 . .  
62,79 . .  
0,150 . .  
13,3 .  
0,5 .

( ) 01.2000 .

	-		.	.	, .				, .					/ .	/ .	.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1.																
1	10-02-016-06	:	1 .	1	199,93	112,01	39,6	4,43		200	112	40	4	10,1	10,1	0,001
	30.01.14 31/															
2	11-04-008-01	( , , ) , : 5 (RS-422/485)	1 .	1	9,95	8,9	0,87			10	9	1		1,03	1,03	
	30.01.14 31/															
										210	121	41	4		11,13	
( 35 .1 .2 .5_										242	145	49	5		13,36	
=1,2; =1,2; =1,2 ( . 1-2)) ,																
										128						
										90						
1										460					13,36	
2.																

Гранд-Смета (вер.7.3)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
3	- " 29.05.2017 "	CF-19ZZ025E9 (282478/1,18/4,28) ( 35 .4.60. =1,06 ( =1,06; =1,06; =1,06); 35 .4.64. - =1,012 ( =1,012; =1,012; =1,012))		1	59999,17				59999	59999						
4	, 03.2017 .	STEP-PS/1AC/24DC/2.5 (4950,72/1,18/4,28) ( 35 .4.60. =1,06 ( =1,06; =1,06; =1,06); 35 .4.64. - =1,012 ( =1,012; =1,012; =1,012))		1	1051,54				1052	1052						
5	03.2017 .	1- RS- 422/485 Nport 5130 MOXA (8205/1,18/4,28) ( 35 .4.60. =1,06 ( =1,06; =1,06; =1,06); 35 .4.64. - =1,012 ( =1,012; =1,012; =1,012))		1	1742,76				1743	1743						
										62794						
2										62794						
										63004	121	41	4		11,13	
										63036	145	49	5		13,36	
35 .1 .2 .5._ =1,2; =1,2; =1,2; =1,2; =1,2 ( . 1-2)										32	24	8	1		2,226	
										128						
84% ( 139) ( . 1)										117						
97% ( 11) ( . 2)										11						
										90						
60% ( 139) ( . 1)										83						
65% ( 11) ( . 2)										7						
										460					13,36	
										62794						
										63254					13,36	
										48						

Гранд-Смета (вер.7.3)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
										49						
										150						
										62794						
										128						
										90						
										63254					13,36	

: \_\_\_\_\_  
 ( , , )  
 : \_\_\_\_\_  
 ( , , )